

ARIHHP 研究業績一覽 (2017 年)

◆ 論文：100 編

◆ 著書：8 編

◆ 受賞：9 件

A 「心」 部門

「論文」

Suwabe K, Hyodo K, Byun K, Ochi G, Fukuie T, Shimizu T, Kato M, Yassa MA, Soya H. Aerobic fitness associates with mnemonic discrimination as a mediator of physical activity effects: evidence for memory flexibility in young adults. *Scientific Reports*, 7(1): 5140, 2017.

Jang Y, Koo JH, Kwon I, Kang EB, Um HS, Soya H, Lee Y, Cho JY. Neuroprotective effects of endurance exercise against neuroinflammation in MPTP-induced Parkinson's disease mice. *Brain Res*, 1655: 186-193, 2017.

Suwabe K, Hyodo K, Byun K, Ochi G, Yassa MA, Soya H. Acute moderate exercise improves mnemonic discrimination in young adults. *Hippocampus*. 27(3): 229-234, 2017.

Fernandez AM, Hernandez-Garzón E, Perez-Domper P, Perez-Alvarez A, Mederos S, Matsui T, Santi A, Trueba-Saiz A, García-Guerra L, Pose-Utrilla J, Fielitz J, Olson EN, Fernandez de la Rosa R, Garcia Garcia L, Pozo MA, Iglesias T, Araque A, Soya H, Perea G, Martin ED, Torres Aleman I. Insulin regulates astrocytic glucose handling through cooperation with Insulin-Like Growth Factor I. *Diabetes*, 66(1): 64-74, 2017.

Matsui T, Omuro H, Liu YF, Soya M, Shima T, McEwen BS, Soya H. Astrocytic glycogen-derived lactate fuels the brain during exhaustive exercise to maintain endurance

capacity. *Proceedings of the National Academy of Sciences of the United States of America*, 114(24): 6358-6363, 2017.

Reagh ZM, Yassa MA. Selective vulnerabilities and biomarkers in neurocognitive aging. *F1000Research*, 6: 491, 2017.

Stark SM, Reagh ZM, Yassa MA, Stark CEL. What's in a context? Cautions, limitations, and potential paths forward. *Neurosci Lett*, 27; 680: 77-87, 2017.

Leal SL, Noche JA, Murray EA, Yassa MA. Age-related individual variability in memory performance is associated with amygdala-hippocampal circuit function and emotional pattern separation. *Neurobiology of Aging*, 49: 9-19, 2017.

Reagh ZM, Murray EA, Yassa MA. Repetition reveals ups and downs of hippocampal, thalamic, and neocortical engagement during mnemonic decisions. *Hippocampus*, 27: 169-183, 2017.

Leal SL, Noche JA, Murray EA, Yassa MA. High-resolution fMRI of amygdala and hippocampal subfields in older adults with depressive symptoms. *Hippocampus*, 27(4): 464-476, 2017.

Zheng J, Anderson KL, Riley JD, Leal SL, Shestyuk A, Gulsen G, Vadera S, Yassa MA, Knight RT, Lin JJ. Basolateral amygdala and hippocampal dynamics during processing of fearful faces. *Nature Communications*, 8: 14413, 2017.

Snigdha S, Yassa MA, Rivera C, Milgram NW, Cotman CW. Pattern separation and goal directed behavior in the aged canine. *Learning and Memory*, 24(3): 123-131, 2017.

征矢英昭, 諏訪部和也, 征矢茉莉子: 海馬の認知機能を高める運動効果とその分子機構. 日本神経精神薬理学雑誌, 37(4), 115-121, 2017.

征矢茉莉子, 征矢英昭: 運動の認知・神経機能への影響. 理学療法ジャーナル, 51(7), 626-631, 2017.

征矢英昭: ストレッサーとしての怒り（アンガ）とスポーツ 体育の科学. 67(8), 514-515, 2017.

福家健宗, 菊池章人, 征矢英昭: 音楽に合わせた 2 分間の楽しい SPARTS 体操とは, どんな運動? 健康教室, 68(16), 20-24, 2017.

坂入洋右, 雨宮怜: 自律訓練法における受動的受容とマインドフルネス. 心身医学, 57, 836-842, 2017.

雨宮怜, 町田柚衣, 吉田昌宏, 稲垣和希, 坂入洋右: 自律訓練法による心的敏感さの高い大学生への気分調整効果. 自律訓練研究, 37, 17-28, 2017.

稻垣和希, 高野美穂, 吉田昌宏, 雨宮怜, 松浦佑希, 坂入洋右: 自律訓練法標準練習と消去動作による生理・心理状態の変化動態. 自律訓練研究, 37, 3-16, 2017.

雨宮怜, 坂入洋右: スポーツ競技者のパフォーマンス低下を抑制するマインドフルネスの役割. 心理学研究, 88(5), 470-477, 2017.

松浦佑希, 本谷聰, 坂入洋右: 多様な運動感覚の経験を重視した運動指導方略の心理的効果. コーチング学研究, 30(2), 149-158, 2017.

稻垣和希, 坂入洋右: 心理状態の自己調整法としての姿勢調整の有効性. いばらき健康・スポーツ科学, 33, 1-8, 2017.

「著書」

征矢英昭, 本山貢, 石井好二郎: もっとなつとく使えるスポーツサイエンス. 講談社, 2017.

松井崇: パフォーマンスのスポーツ神経科学: 柔道競技力における脳の役割を探る. 実践柔道論. メディアパル社, 182-200, 2017.

田中喜代次, 西平賀昭, 征矢英昭, 大森肇 (監訳): 運動生理学大事典 健康・スポーツ現場で役立つ理論と応用. 西村書店, 2017.

「受賞」

Oomura K, Shima T, Oharazawa A, Soya H: Young Investigators Award (5th place), European College of Sport Science, 2017.

諏訪部和也, 邊ギヨンホ, Yassa MA, 征矢英昭: 第 32 回 (2015 年度) 若手研究者のための

健康科学研究助成 優秀賞, 2017.

福家健宗, 諏訪部和也, 越智元太, 兵頭和樹, 邊ギヨンホ, 征矢英昭: スポーツニューロサイエンス研究会若手発表 若手研究表彰 優秀賞, 2017.

松井崇: 筑波大学若手教員奨励賞, 2017.

B 「体」 部門

「論文」

Fujii N, Aoki-Murakami E, Tsuji B, Kenny GP, Nagashima K, Kondo N, Nishiyasu T. Body temperature and cold sensation during and following exercise under temperate room conditions in cold-sensitive young trained females. *Physiological Reports*, 5(20): e13465, 2017.

Fujii N, McNeely BD, Nishiyasu T, Kenny GP. Intradermal administration of atrial natriuretic peptide has no effect on sweating and cutaneous vasodilator responses in young male adults. *Temperature*, 4(4): 414-419, 2017.

Fujii N, Zhang SY, McNeely BD, Nishiyasu T, Kenny GP. Heat shock protein 90 contributes to cutaneous vasodilation through activating nitric oxide synthase in young male adults exercising in the heat. *Journal of Applied Physiology*, 123(4): 844-850, 2017.

Ichinose M, Ichinose-Kuwahara T, Watanabe K, Kondo N, Nishiyasu T. The carotid baroreflex modifies the pressor threshold of the muscle metaboreflex in humans. *American Journal of Physiology-Heart and Circulatory Physiology*, 313(3): H650-H657, 2017.

Dobashi K, Fujii N, Watanabe K, Tsuji B, Sasaki Y, Fujimoto T, Tanigawa S, Nishiyasu T. Effect of voluntary hypocapnic hyperventilation or moderate hypoxia on metabolic and heart rate responses during high-intensity intermittent exercise. *European journal of applied physiology*, 117(8): 1573-1583, 2017.

Fujii N, Nikawa T, Tsuji B, Kenny GP, Kondo N, Nishiyasu T. Wearing graduated compression stockings augments cutaneous vasodilation but not sweating during exercise in the heat. *Physiological Reports*, 5(9): e13252, 2017.

Fujii N, Louie JC, McNeely BD, Amano T, Nishiyasu T, Kenny GP. Mechanisms of nicotine-induced cutaneous vasodilation and sweating in young adults: roles for KCa, KATP, and KV channels, nitric oxide, and prostanoids. *Appl Physiol Nutr Metab*, 42(5): 470-478, 2017.

Fujii N, McNeely BD, Nishiyasu T, Kenny GP. Prostacyclin does not affect sweating but

induces skin vasodilatation to a greater extent in older versus younger women: roles of NO and KCa channels. *Exp Physiol*, 102(5): 578-586, 2017.

Fujii N, Nikawa T, Tsuji B, Kondo N, Kenny GP, Nishiyasu T. Wearing graduated compression stockings augments cutaneous vasodilation in heat-stressed resting humans. *Eur J Appl Physiol*, 117(5): 921-929, 2017.

McNeely BD, Meade RD, Fujii N, Seely AJE, Sigal RJ, Kenny GP. Fluid replacement modulates oxidative stress-but not nitric oxide-mediated cutaneous vasodilation and sweating during prolonged exercise in the heat. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*, 313(6): R730-R739, 2017.

Amano T, Fujii N, Kenny GP, Inoue Y, Kondo N. Do nitric oxide synthase and cyclooxygenase contribute to sweating response during passive heating in endurance-trained athletes? *Physiological Reports*, 5(17): e13403, 2017.

Amano T, Shitara Y, Fujii N, Inoue Y, Kondo N. Evidence for β -adrenergic modulation of sweating during incremental exercise in habitually trained males. *Journal of applied physiology*, 123(1): 182-189, 2017.

Louie JC, Fujii N, Meade RD, McNeely BD, Kenny GP. The roles of KCa, KATP, and KV channels in regulating cutaneous vasodilation and sweating during exercise in the heat. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*, 312: R821-R827, 2017.

Fujii N, Meade R, Akbari P, Louie JC, Alexander L, Boulay P, Sigal R, Kenny GP. No effect of ascorbate on cutaneous vasodilation and sweating in older men and those with type 2 diabetes exercising in the heat. *Physiological Reports*, 5(7): e13238, 2017.

Fujii N, McNeely BD, Zhang SY, Abdellaoui YC, Danquah MO, Kenny GP. Activation of protease-activated receptor 2 mediates cutaneous vasodilatation but not sweating: roles of nitric oxide synthase and cyclo-oxygenase. *Exp Physiol*, 102: 265-272, 2017.

Haqani B, Fujii N, Kondo N, Kenny GP. The mechanisms underlying the muscle metaboreflex modulation of sweating and cutaneous blood flow in passively heated humans. *Physiol Rep*, 5: e13123, 2017.

Amano T, Fujii N, Louie JC, Meade RD, Kenny GP. Individual variations in nitric oxide synthase-dependent sweating in young and older males during exercise in the heat: role of aerobic power. *Physiol Rep*, 5: e13208, 2017.

Fujii N, Amano T, Halili L, Louie JC, Zhang SY, McNeely BD, Kenny GP. Intradermal administration of endothelin-1 attenuates endothelium-dependent and -independent cutaneous vasodilation via Rho kinase in young adults. *Am J Physiol Regul Integr Comp Physiol*, 312: R23-R30, 2017.

Fujii N, Louie JC, McNeely BD, Zhang SY, Tran MA, Kenny GP. Nicotinic receptor activation augments muscarinic receptor-mediated eccrine sweating but not cutaneous vasodilatation in young males. *Exp Physiol*, 102: 245-254, 2017.

Fujii N, McNeely BD, Kenny GP. Nitric oxide synthase and cyclooxygenase modulate β -adrenergic cutaneous vasodilatation and sweating in young men. *J Physiol*, 594: 1173-1184, 2017.

Osuka Y, Fujita S, Kitano N, Kosaki K, Seol JH, Sawano Y, Shi HH, Fujii Y, Maeda S, Okura T, Kobayashi H, Tanaka T. Effects of aerobic and resistance training combined with fortified milk on muscle mass, muscle strength, and physical performance in older adults: a randomized controlled trial. *The journal of nutrition, health & aging*, 21(10): 1349-1357, 2017.

Yoshikawa T, Kumagai H, Myozenzo K, Zempo-Miyaki A, Tsujimoto T, Tanaka K, Maeda S. Effects of dietary modification with weight loss on central blood pressure during oral glucose tolerance test in overweight/obese men. *Artery Res*, 20: 27-34, 2017.

Kosaki K, Kamijo-Ikemori A, Sugaya T, Tanahashi K, Kumagai H, Sawano Y, Akazawa N, Ra SG, Kimura K, Shibagaki Y, Maeda S. Relationship between exercise capacity and urinary liver-type fatty acid-binding protein in middle-aged and older individuals. *Clinical and experimental nephrology*, 21(5): 810-817, 2017.

Zempo-Miyaki A, Maeda S, Otsuki T. Effect of Chlorella-derived multicomponent supplementation on maximal oxygen uptake and serum vitamin B2 concentration in young men. *Journal of clinical biochemistry and nutrition*, 61(2): 135-139, 2017.

Tanahashi K, Kosaki K, Sawano Y, Yoshikawa T, Tagawa K, Kumagai H, Akazawa N, Maeda S. Impact of age and aerobic exercise training on conduit artery wall thickness: role of the shear pattern. *Journal of vascular research*, 54(5): 272-279, 2017.

Komatsu M, Akazawa N, Tanahashi K, Kumagai H, Yoshikawa T, Kosaki K, Zempo-Miyaki A, Maeda S. Central blood pressure is associated with trunk flexibility in older adults. *Artery Research*, 19: 91-96, 2017.

Kosaki K, Kamijo-Ikemori A, Sugaya T, Tanahashi K, Kumagai H, Sawano Y, Osuka Y, Tanaka K, Kimura K, Shibagaki Y, Maeda S. Association between muscular strength and intrarenal vascular resistance in middle-aged and older individuals. *Experimental gerontology*, 91: 72-78, 2017.

Sugawara J, Tomoto T, Imai T, Maeda S, Ogoh S. Impact of mild orthostatic stress on aortic-cerebral hemodynamic transmission: insight from the frequency-domain. *American Journal of Physiology-Heart and Circulatory Physiology*, 312(5): H1076-H1084, 2017.

Tomoto T, Maeda S, Sugawara J. Influence of blood flow velocity on arterial distensibility of carotid artery in healthy men. *J Physiol Sci*, 67(1): 191-196, 2017.

Monma T, Takeda F, Okura T. Physical activities impact sense of coherence among community-dwelling older adults. *Geriatrics & Gerontology International*, 17(11): 2208-2215, 2017.

Nawaz A, Aminuddin A, Kado T, Takikawa A, Yamamoto S, Tsuneyama K, Igarashi Y, Ikutani M, Nishida Y, Nagai Y, Takatsu K, Imura J, Sasahara M, Okazaki Y, Ueki K, Okamura T, Tokuyama K, Ando A, Matsumoto M, Mori H, Nakagawa T, Kobayashi N, Saeki K, Usui I, Fujisaka S, Tobe K. CD206⁺ M2-like macrophages regulate glucose metabolism by inhibiting proliferation of adipocyte progenitors. *Nature Commun*, 8(1): 286, 2017.

Park I, Ochiai R, Ogata H, Kayaba M, Hari S, Hibi M, Katsuragi Y, Satoh M, Tokuyama K. Effects of subacute ingestion of chlorogenic acids on sleep architecture and energy metabolism through activity of the autonomic nervous system: a randomised, placebo-

controlled, double-blinded crossover trial. *Brisish Journal of Nutrition*, 117(7): 979-984, 2017.

Iwayama K, Kawabuchi R, Nabekura Y, Kurihara R, Park I, Kobayashi M, Ogata H, Kayaba M, Omi N, Satoh M, Tokuyama K. Exercise before breakfast increases 24-h fat oxidation in female subjects. *PLoS ONE*, 12(7): e0180472, 2017.

Kayaba M, Park I, Iwayama K, Seya Y, Ogata H, Yajima K, Satoh M, Tokuyama K. Energy metabolism differs between sleep stages and begins to increase prior to awakening. *Metabolism*, 69: 14-23, 2017.

Misu H, Takayama H, Saito Y, Mita Y, Kikuchi A, Ishii K, Chikamoto K, Kanamori T, Tajima N, Lan F, Takeshita Y, Honda M, Tanaka M, Kato S, Matsuyama N, Yoshioka Y, Iwayama K, Tokuyama K, Akazawa N, Maeda S, Takekoshi K, Matsugo S, Noguchi N, Kaneko S, Takamura T. Deficiency of the hepatokine selenoprotein P increases responsiveness to exercise in mice through upregulation of ROS and AMPK in muscle. *Nature Medicine*, 23(4): 508-516, 2017.

Nao K, Ogata H, Omi N. Comparison between energy intake and expenditure using accelerometers in large scale disaster scenarios. *Annals of Nutrition and Metabolism*, 71(2): 280-281, 2017.

Kohara A, Machida M, Setoguchi Y, Ito R, Sugitani M, Maruki-Uchida H, Inagaki H, Ito T, Omi N, Takemasa T. Enzymatically modified isoquercitrin supplementation intensifies plantaris muscle fiber hypertrophy in functionally overloaded mice. *Journal of the International Society of Sports Nutrition*, 14(32): 2017

前田清司: 運動による動脈硬化の予防・改善. 体育の科学, 67(10), 682-685, 2017.

荒井宏和, 大槻毅, 清水和弘, 花岡裕吉, 膳法亜沙子, 崔英珠, 渡部厚一, 前田清司: イフセーバーにおける水難救助活動期間中の睡眠と唾液 SIgA 分泌速度との関連. 日本臨床スポーツ医会誌, 25(2), 261-268, 2017.

門馬怜子, 熊谷仁, 王子田萌, 家光素行, 前田清司: 陸上競技女子長距離選手における貧血状態と血中アミノ酸濃度の関連. 体力科学, 66(6), 391-397, 2017.

相原利恵, 熊谷仁, 栃木悠里子, 澤井朱美, 高橋あかり, 白木仁, 目崎登, 前田清司: 若年女性における月経周期がバランス能力に及ぼす影響～卵胞期と月経期における検討～. 体育の科学, 67(1), 65-69, 2017.

中村優希, 崔英珠, 羅成圭, 吹田真士, 徳山薫平, 佐藤誠, 前田清司: バドミントン競技選手における睡眠の質がパフォーマンスに与える影響. トレーニング科学, 28, 183-189, 2017.

山根真紀, 武田文: マスターズスキー参加者のスキー外傷の特徴. スキー研究, 14, 9-16, 2017.

鈴木淳子, 紀司かおり, 門間貴史, 武田文: 中年期女性における首尾一貫感覚(SOC)のレベルとその要因—年齢層別検討. パーソナリティ研究, 26, 154-156, 2017.

鈴木淳子, 紀司かおり, 門間貴史, 武田文: 中年期女性のストレッサー尺度の検討. 厚生の指標, 61, 38-44, 2017.

武田文, 門間貴史, 田宮菜奈子: 年者における余暇活動・社会活動が日常生活動作に及ぼす影響. 厚生労働科学研究費補助金政策科学総合研究事業「地域包括ケア実現のためのヘルスサービスリサーチ-二次データ活用システム構築による多角的エビデンス創出拠点-」平成28年度総括・分担研究報告書, 107-115, 2017.

武田文, 門間貴史, 田宮菜奈子: 中年者の運動・スポーツ実施に関する地域差および実施方法別にみた推移—中高年者縦断調査による解析—. 厚生労働科学研究費補助金循環器疾患・糖尿病等生活習慣病対策総合研究事業「健康寿命及び地域格差の要因分析と健康増進対策の効果検証に関する研究」平成28年度総括・分担研究報告書, 27-36, 2017.

麻見直美: 連載) 食育を考えるジュニア期の食事の在り方 自分のからだを、自分でつくる! 食事量の調節方法を習得しよう. ハンドボール, 574, 25-27, 2017.

麻見直美: 連載) 食育を考えるジュニア期の食事の在り方 食事もトレーニング!?まずは毎日の食生活を見直そう. ハンドボール, 573, 29-31, 2017.

小泉奈央, 赤野史典, 緒形ひとみ, 玄海嗣生, 麻見直美: 大規模災害発生時の活動隊員に必要な活動食の要件検討および備蓄内容の現状調査. 第65回全国消防技術者会議資料, 165-177, 2017.

小泉奈央, 赤野史典, 緒形ひとみ, 玄海嗣生, 麻見直美: 災害救助現場で活動する消防隊員の備蓄食の変化とその問題点. 日本災害食学会誌, 4(2), 55-59, 2017.

麻見直美: ランニングが骨におよぼす影響. Clinical calcium, 27(1), 55-65, 2017.

緒方ひとみ, 赤野史典, 小泉奈央, 玄海嗣生, 麻見直美: 警察・自衛隊と比較して考える災害現場で活動する消防官の備蓄食の現状. 日本災害食学会誌, 4(2), 61-67, 2017.

麻見直美, 緒方ひとみ, 赤野史典, 小泉奈央, 玄海嗣生, 堀部秀俊: 大規模災害発生時に消防隊員が食べる活動食の必要要件の検討. 日本災害食学会誌, 4(2), 47-54, 2017.

「著書」

膳法亜沙子, 前田清司(翻訳): 運動生理学大事典(V. カッチ, マッカードル, F. カッチ著). 西村書店, 271-300, 2017.

武田文, 門間貴史: 第4章 身体, 身体活動, 睡眠と健康. 「新・生き方としての健康科学」(山崎喜比古 監修, 朝倉隆司 編). 有信堂高文社, 45-58, 2017.

麻見直美(翻訳): 運動生理学大事典 健康・スポーツ現場で役立つ理論と応用／第2章三大栄養素と微量栄養素, 第3章食品がもつエネルギーと運動のための最適な栄養 (V. カッチ, マッカードル F. カッチ著／田中喜代次, 西平賀昭, 征矢英昭, 大森肇監訳). 西村書店, 31-97, 2017.

「受賞」

Dobashi K, Fujii N, Fujimoto T, Tanigawa S, Ichinose M, Nishiyasu T: Oral presentation 1st prize, 2017.

前田清司(共同研究者): 第25回日本運動生理学会大会若手研究賞, 2017.

菊地亜矢子, 門間貴史, 小澤咲子, 石井由貴, 鈴木淳子, 山口陽子, 鈴木真紀子, 高田薰, 吉川基, 武田文: 第76回日本公衆衛生学会総会優秀ポスター賞, 2017.

門間貴史: 第31回筑波大学河本体育科学研究奨励賞, 2017.

小泉奈央, 赤野史典, 緒形ひとみ, 玄海嗣生, 麻見直美: 平成29年度消防防災科学技術賞(総務省), 2017.

C 「技」 部門

「論文」

Yamakawa KK, Shimojo H, Takagi H, Tsubakimoto S, Sengoku Y. Effect of increased kick frequency on propelling efficiency and muscular co-activation during underwater dolphin kick. *Human Movement Science*, 54: 276-286, 2017.

Yamakawa KK, Shimojo H, Takagi H, Tsubakimoto S, Sengoku Y. Kinematic and EMG data during underwater dolphin kick change while synchronizing with or without synchronization of kick frequency with the beat of a metronome. *Data in brief*, 14: 28-31, 2017.

Tsunokawa T, Tsuno T, Mankyu H, Takagi H, Ogita F. The effect of paddles on pressure and force generation at the hand during front crawl. *Human Movement Science*, 57: 409-416, 2017.

Narita K, Nakashima M, Takagi H. Developing a methodology for estimating the drag in front-crawl swimming at various velocities. *Journal of biomechanics*, 54: 123-128, 2017.

Kobayashi K, Takagi H, Tsubakimoto S, Sengoku Y. Suitability of electrodes waterproofing treatment in underwater surface electromyography measurement. *The Bulletin of Faculty of Health and Sport Sciences*, 40: 65-70, 2017.

Asai T, Hong S, Kimachi K, Nakamura A. Flow visualisation of non-spinning soccer ball using direct numerical simulation. *Proceedings of The 11th Pacific Symposium on Flow Visualization and Image Processing*, 2017.

Goff JE, Kelley J, Hobson CM, Seo K, Asai T, Choppin SB. Creating drag and lift curves from soccer trajectories. *European Journal of Physics*, 38(4): 2017.

Hong S, Asai T. Aerodynamic effects of dimples on soccer ball surfaces. *Helyon*, 3(10): e00432, 2017.

Asai T, Hong S, Ijuin K. Flow visualisation of downhill skiers using the lattice Boltzmann method. *Eur. J. Phys*, 38: 24002, 2017.

Asai T, Hong S. Investigation of kinematics of knuckling shot in soccer. *Proc. of SPIE*, 10328: 103281S, 2017.

Enomoto Y, Aibara T, Sugimoto K, Seki K, Yokozawa T, Murata M. Estimation of the center of mass and pelvis movement in running using an inertia sensor mounted on sacrum. *35th International Conference of Biomechanics in Sports Proceedings*, 35(1): 500-503, 2017.

Nishiura T, Seki K, Enomoto Y, Kogawa D: Effect of shoes and tights with the support function on support leg during running. *35th International Conference of Biomechanics in Sports Proceedings*, 35(1): 627-630, 2017.

Sugimoto K, Enomoto Y, Seki K. The interrelationship of joint stiffness in drop jump under different conditions: A single-subject design. *35th International Conference of Biomechanics in Sports Proceedings*, 35(1): 979-982, 2017.

Shibata A, Koyama H, Enomoto Y. Analysis of the transformation of the velocity of the center of gravity in running single leg horizontal jump. *35th International Conference of Biomechanics in Sports Proceedings*, 35(1): 607-610, 2017.

Seki K, Sugimoto K, Kyrolainen H, Enomoto Y. Effect of biomechanical factors on energy cost during running at varying inclines. *International Conference of Biomechanics in Sports Proceedings*, 35(1): 1100-1103, 2017.

酒井紳, 武田剛, 佐藤智俊, 椿本昇三, 高木英樹: 競泳キックスタートにおけるバックブレート位置がスタート・パフォーマンスに与える影響. 体育学研究, 62(1), 133-144, 2017.

中島きよ, 高木英樹: 「けのび」動作における準備局面の姿勢変換に着目した指導法に関する実証的研究. 体育学研究, 62, 1-10, 2017.

角川隆明, 天野天兵, 萬久博敏, 萩田太, 高木英樹: 水中モーションキャプチャと圧力分布計測を用いた手部に働く流体力の分析. 鹿屋体育大学学術研究紀要, 55, 17-25, 2017.

積田貴幸, 北原格, 高木英樹, 亀田能成: 競泳プール映像における色情報分布を用いた泳者領域抽出. 電子情報通信学会 技術研究報告 MVE, 116(496), 7-12, 2017.

仙石泰雄, 角川隆明, 小林啓介, 成田健造: 高強度トレーニングを柱とした競泳競技トレーニングシステム. コーチング学研究, 40, 61-65, 2017.

浅井武, 洪性贊: 実験と数値流体解析を統合したスポーツエアロダイナミクス解析システムの開発と展開研究. デサントスポーツ科学, 38, 3-9, 2017.

徐広孝, 大澤啓亮, 見汐翔太, 安藤梢, 鈴木宏哉, 西嶋尚彦: サッカーの攻撃におけるプレーの最適化アルゴリズムの開発. 統計数理, 65(2), 309-321, 2017.

小磯透, 西嶋尚彦, 岡出美則, 鍋倉賢治: 体育における持久走・長距離走に対する小中高生の態度. ランニング学研究, 29(1), 9-21, 2017.

田原康寛, 松岡弘樹, 中村環, 西嶋尚彦: プロ野球のゲームデータからのチーム打撃力の達成度評価. スポーツデータ解析における理論と事例に関する研究集会, 統計数理研究所共同研究リポート, 380, 9-16, 2017.

「著書」

Sanders R, Andersen J, Takagi H: The Segmental Movements in Front Crawl Swimming. (Bertram Müller, Sebastian I. Wolf, Gert-Peter Brueggemann, Zhigang Deng, Andrew McIntosh, Freeman Miller, William Scott Selbie. Eds.), *Handbook of Human Motion*, Springer International Publishing, 2017.

Hong S, Asai T: Chapter 7, Impact phase of the knuckle shot. *Football Biomechanics*, Routledge, 68-76, 2017.